

High Quality Graded Roofing Battens

arborforest
Products Ltd



WINNER
Softwood trader of
the year



With a long-established company heritage, quality supply partnerships and value for money pricing structure, Arbor Forest Products is regarded as one of the leading roofing batten suppliers in the UK.



High Quality Graded Roofing Battens



You can rely on us

Every year, Arbor Forest Products processes over 60 million metres of timber, imported directly via its wholly owned port – the UK's largest dedicated timber terminal.

Working hand in hand with our dedicated importing terminal is one of the UK's most sophisticated milling and treatment facilities, supplying quality timber to merchants in the building and construction sector.

For our customers, generations of experience in the timber industry ensures the reassurance of continuity of supply, quality of product and highly competitive pricing.

Supported by a dedicated transport fleet and a state of the art nationwide logistics infrastructure, Arbor Forest Products is committed to delivering to individual businesses two to three times every week.



All our roofing battens are a high quality, graded batten, specifically produced to meet the requirements of the building and construction industry, and are available in two grades.

AFP33 / standard range

Visually graded at source to meet all aspects of BS5534:2003+A1:2010 with the exception of a final grade for knots, which must be carried out on site.

Manufactured from European Redwood (PNSY) or European Whitewood (WPCA).

Available in 25 x 38 and 25 x 50 sections, in lengths ranging from 3 to 6 metres. Also available is a standard traditional batten size 19 x 38*.

Individual pieces are marked for full identification showing size, species, grade (TB33) and treatment process.

High pressure preservative treated to BS:8417:2003 (UC2) carries a 60 year service life against insect attack and wood rotting fungi.



*No longer recognised in BS5534:2003+A1:2010

AFP5534 / premium range

The AFP5534 batten is fully graded to meet all aspects of BS5534:2003+A1:2010 but also includes a final grade for knots. This **eliminates the need for grading on site** (which is now a requirement for all NHBC homes)

The AFP5534 batten is independently accredited by BM Trada.



COMPARISON CHART

	AFP33	AFP5534
BS5534:2003+A1:2010 Compliant	(with the exception of knots)	✓
25 x 38, 25 x 50 sizes	✓	✓
Marked for full identification	✓	✓
3 to 6 metre lengths	✓	✓
Pressure treated to BS:8417:2003 (UC2)	✓	✓
BM Trada accreditation	X	✓



Our extensive modern machining facility produces the complete range of products. From import, to processing, through to timely, mixed-load deliveries, we offer a complete, 'one-stop shop' solution for the building, DIY and construction trades.

Arbor Forest Products Ltd
 Barrow Road, New Holland, North Lincolnshire DN19 7RR
 T: 01469 532 300 E: sales@arborforestproducts.co.uk
 www.arborforestproducts.co.uk

arborforest
 Products Ltd



Decking / Softwood & Trex®



Softwood PAR / Mouldings



Fibretrim MDF Mouldings



Quality Graded Roofing Battens & C24 Carcassing



'Warehouse on Wheels' Deliveries